









STRUCTURA 405 PG 3
Sierra oak reproduction
Matching surround:
carcase, worktop, upright panels



FASHION 165 PG 4
Lacquer, honed stone grey
Matching surround:
carcase, upright panels, worktop



STRUCTURA 403
Nero oak reproduction
Matching surround:
upright panels, plinth



GENT 741 PG 5
Lacquered laminate, stone grey
Matching surround:
carcase, upright panels, worktop



FLASH 453
Lacquered laminate,
slate grey high gloss
Matching surround:
upright panels



KANSAS 597 PG 7
Sierra oak reproduction

Matching surround:
carcase, worktop, upright panels



EASYTOUCH 961 PG 4
Lacquered laminate,
graphite black ultra matt

Matching surround:
upright panels, plinth




CASCADA 774 PG 7
Lacquered laminate, white

CASCADA 776 PG 7
Lacquered laminate, reed green

Matching surround in cottage style: pilasters, cornice KLHC




EASYTOUCH 963
Lacquered laminate,
rust red ultra matt
Matching surround:
upright panels, plinth



CEMENTO 803
Lacquer, cement grey
Matching surround:
upright panels, plinth



Authentic cement look with CEMENTO



CEMENTO 803
Lacquer, cement grey
Matching surround:
upright panels, plinth

CEMENTO 803

Lacquer, cement grey

HANDLE LINE N 017 Black

CARCASE, WORKTOP 089 Stone grey

PLINTH 080 / UPRIGHT PANELS 803

Cement grey / Lacquer, cement grey

CONSOLE PANEL AND NICHE 097Havana oak reproduction





Dark hues for cool elegance



FLASH 453 Lacquered laminate, slate grey high gloss Matching surround:

upright panels



Nero oak reproduction

Matching surround:
upright panels, plinth



EASYTOUCH 961 PG 4
Lacquered laminate,
graphite black ultra matt
Matching surround:
upright panels, plinth

FLASH 453

Lacquered laminate, slate grey high gloss

HANDLE 358

Metal handle Titanium-coloured

CARCASE 194

Slate grey

WORKTOP 393

Vintage oak reproduction





Cosy supplement in Sierra oak



STRUCTURA 405 PG 3
Sierra oak reproduction
Matching surround:
carcase, worktop, upright panels



KANSAS 597 PG 7
Sierra oak reproduction
Matching surround:
carcase, worktop, upright panels



CARCASE COLOUR 198Sierra oak reproduction

KANSAS 597 Sierra oak reproduction

CARCASE, WORKTOP & UPRIGHT PANELS 198
Sierra oak reproduction

HANDLE 620Railing handle Black





EASYTOUCH with innovative anti-fingerprint coating




EASYTOUCH 961 PG 4 Lacquered laminate, graphite black ultra matt

Matching surround: upright panels, plinth



EASYTOUCH 963 PG 4
Lacquered laminate, rust red
ultra matt

Matching surround: upright panels, plinth





- Ultra matt with PP edging on all sides
- Extremely resilient
- Very easy to clean thanks to innovative anti-fingerprint coating
- Wear-resistant and highly cross-linked functional layer

EASYTOUCH 963

Lacquered laminate, rust red ultra matt

HANDLE 760

Bar handle Stainless steel finish

CARCASE 089

Stone grey

PLINTH 021 / UPRIGHT PANELS 963

Rust red / Lacquered laminate, rust red ultra matt

WORKTOP 186

Black





An addition with bestseller appeal: FASHION in Stone grey



FASHION 165 PG 4 Lacquer, honed stone grey

FASHION 165

Lacquer, honed stone grey

HANDLE 710

Bar handle Stone grey

CARCASE 089

Stone grey

WORKTOP 373

Grey slate reproduction (Xtra)

Niche cladding motif 432

Décor loft design





Urban cottage look with GENT



GENT 741 PG 5Lacquered laminate, stone grey
Matching surround:
carcase, upright panels, worktop

GENT 741

Lacquered laminate, stone grey

HANDLE 739

Bar handle stone grey

CARCASE 089

Stone grey

WORKTOP 378

Black Concrete reproduction

CONSOLE PANEL 097

Havana oak reproduction

NICHE CLADDING MOTIF 433

Décor quarry stone





Modern cottage style with CASCADA



CASCADA 774 PG 7
Lacquered laminate, white
Matching surround in cottage style:
pilasters, cornice KLHC



CASCADA 776 PG 7
Lacquered laminate, reed green
Matching surround in cottage style:
pilasters, cornice KLHC

CASCADA 776

Lacquered laminate, reed green

HANDLE 509

Metal handle Grey

CARCASE 089 / PLINTH 038

Stone grey / Reed green

WORKTOP 395

Verso reproduction





New carcase colours and worktop décors



CARCASE COLOUR 198Sierra oak reproduction



WORKTOP DÉCOR 198Sierra oak reproduction



WORKTOP DÉCOR 393 Vintage oak reproduction



WORKTOP DÉCOR 394
Champagne travertine reproduction



WORKTOP DÉCOR 396Grey terrazzo reproduction



WORKTOP DÉCOR 395 Verso reproduction



WORKTOP DÉCOR 367Artisan oak reproduction







192 METAL HANDLE Brilliant chrome 160 mm



099 METAL HANDLE Industrial style 160 mm



509 METAL HANDLE Grey 160 mm



358 METAL HANDLE Titanium-coloured 160 mm



271 METAL HANDLE Titanium-coloured 160 mm



088 METAL HANDLE Brushed anthracite 160 mm



077 METAL HANDLE Stainless steel finish 160 mm



190 BOW HANDLE (SURCHARGE MP 7945) Brilliant chrome, 320 / 160 mm



620 RAILING HANDLE (SURCHARGE MP 7945) Black, 184 - 793 mm



960 SCREW-ON BAR HANDLE (SURCHARGE MP 7945) Stainless steel finish



990 SCREW-ON BAR HANDLE (SURCHARGE MP 7945) Black



739 METAL HANDLE (SURCHARGE MP 7945) Black,

160 mm



690 BAR HANDLE (SURCHARGE MP 7946) Alpine white,

in door width



710 BAR HANDLE (SURCHARGE MP 7946) Stone grey, in door width



730 BAR HANDLE (SURCHARGE MP 7946) Slate grey, in door width



Upright panels

UPRIGHT PANEL COLOURS



UPRIGHT PANEL COLOUR 198Sierra oak reproduction



UPRIGHT PANEL COLOUR 197Nero oak reproduction



UPRIGHT PANEL COLOUR 396Grey terrazzo reproduction



UPRIGHT PANEL COLOUR 395Verso reproduction



UPRIGHT PANEL COLOUR 393Vintage oak reproduction



UPRIGHT PANEL COLOUR 394Champagne travertine reproduction




UPRIGHT PANEL COLOUR 453Lacquered laminate,
slate grey high gloss



UPRIGHT PANEL COLOUR 776Lacquered laminate, reed green



UPRIGHT PANEL COLOUR 774Lacquered laminate, white



UPRIGHT PANEL COLOUR 961Lacquered laminate,
graphite black ultra matt



Lacquered laminate, rust red ultra matt




Lacquer, cement grey



UPRIGHT PANEL COLOUR 165Lacquer, honed stone grey








- Available colours:014 Stainless steel appearance and 010 Black
- With every order from the 2020 collection the upright panel shoe colour must be specified. If no colour is specified in the order, the version 014 Stainless steel appearance will automatically be supplied.
- The definition can be found in the header data of the order.









432 Décor loft design



433 Décor quarry stone



518 Décor indigo blue



517 Décor ceramic tiles



092 Relief glass, Black, décor group 2



Niche cladding with motifs are also available as **NVM120** with deviating dimensions according to sketch, max. 2800 mm wide, 1200 mm high, Minimum price: 0.5 m^2 , Minimum dimensions: $250 \times 200 \text{ mm}$, invoiced per m².

Only available for the following motifs: 432, 433, 442, 517, 518, 521, 522, 523, 525, 529, 535, 536, 560



Plans with designer elements of glass



Designer glass upright UWG(R)*

With designer glass uprights the visible end of kitchen runs and islands get an attractive glass cabinet upgrade. The glass uprights are available in clear glass and grey glass. These open glass cabinets are especially decorative when paired with LED recess light Derby II, which can be mounted behind the top profile.

For end of run or room designs with base units in special heights: 360, 432 mm.

Can only be planned in conjunction with 16 mm top shelf.

Available glass colours: Clear glass 01, Grey glass 035

Available profile colours: 010 Black, 014 Stainless steel appearance



Wall unit with glass doors Square, WSQ*

The 2020 collection has added a new colour finish for the wall unit with glass doors Square.

The previous finishes will thus be renamed:

Available product range Square WSQ* for 2020

- 321 aluminium framed front in Stainless steel appearance with 02 Matt glass
- 308 aluminium framed front in Stainless steel appearance with 035 Grey glass
- 329 aluminium framed front in Black with 39 Black glass



Handleless kitchen in XL format



A successful synthesis of storage space and beautiful design

LINE N stands for handleless kitchen aesthetics of the highest degree. For the 2020 collection the storage space-oriented XL height, which has already established itself for the long-term in the market, was expanded for LINE N. A separate XL height for highboards completes the XL product range for LINE N as well as for the standard range with handles and bar handles.



Tailor-made LINE N kitchens



XL height adds 10 percent more storage space-while only minimally changing the activity height. The XL carcase is thus not only (but also) ideal for taller people.

Combine with the next smaller plinth size to achieve added space in the unit interior as well as a finer plinth line.



Standard system height: 720 mm

The standard height of LINE N base units is 720 mm.
The continuous doors are 690 mm high, the drawer height is 164 mm.
Possible working heights: 80.6 to 95.8 cm.
Recommended for physical height upwards of approx. 150 cm.



XL system height: 792 mm


The new generation of kitchens in XL grid beautifully combines optimum storage space, a higher activity surface, and a balanced, aesthetic front design. The carcase height is 792 mm and thus provides roughly 10 percent more storage space than standard height. Continuous doors in the LINE N range are 762 mm high, the drawer is 164 mm high.

The XL height is also available for LINE N handleless kitchens. Possible working heights: 87.8 to 103 cm.


Recommended for physical height upwards of approx. 170 cm.




XL front dimensions



XL side views







A closer look at product improvements

Hob units for downdraft extractor fans

The selection of hob units for downdraft extractor fans has been revised.

As of the 2020 collection there are no longer separate units for appliances with and without plinth motors. For this reason, it is absolutely necessary that the appliance information is included in the order, since drawer and pull-out depths are dependent upon the appliance used and the empty space planned and are configured accordingly at the factory. In the chapter on planning information, pages 8 and 9, the respective design sketches and information has been revised to represent this.

New design for internal tablars ITAB / ITAB-AJ The design of internal tablars ITAB* is being changed to plastic, Slate grey.

Worktop APD inner corners in square design AP-IEK

For surcharge AP-IEK the inner corners of worktops and tables with décor edging can be ordered in square design.

Pole-mounted shelving system

The shelving system previously known as Backlight is returning to a basic design with aluminium support poles that are not lit.

The lighting can still be ordered optionally for surcharge MP-SRL.

Due to this change, the shelving system products have new item numbers and item codes.

New XL height for highboards

A new XL highboard height was created as part of the expansion of the LINE N range to include XL height.


The carcase height is 1584 mm and is available in both LINE N and the conventional range with handles.

In light of this, a new connection height for dresser units also supplements the range. Dresser units for planning connections to XL highboards are 754 mm high (AJ*-/APK*-54).






New features for elements and accessories 2020



USG* / -X / -M BASE UNIT WITH 1 DRAWER AND 2 DOORS widths: 800, 900, 1000, 1200 mm



UESAV* / -X CORNER UNIT WITH SWIVEL PULL-OUT

1 pinned door, 2 wooden swivel tablars with metal railing Carcase widths: 900, 1000 mm

Planning dimensions: 650 - 750 x ... UE*90-45: ... x 1100 - 1200 mm UE*100-50: ... x 1150 - 1250 mm UE*100-60: ... x 1250 - 1350 mm



ULM* / - X PULL-OUT UNIT, COTTAGE STYLE

141

285

285

with solid oak panels 1 drawer, 2 pull-outs widths: 500, 600 mm

Designs with drawer inserts are not possible.





SBL*-200 / -400 SLATTED PLINTH OF ALUMINIUM

for plinth height 70, 100, 150 and 200 mm lengths: 2000 and 4000 mm Price per length

Available colours: 114 Stainless steel appearance, 058 Black, 193 Alpine white



MP-NIEZA SURCHARGE FOR LOWERED FRAME

Required for hob unit designs with drawers KS*(-X), KS2A*(-X), K2SA*, SKU* beneath hobs in conjunction with Slim Line worktops

Suitable cutlery trays: Trend and Move



MP-SIA SURCHARGE FOR 3-PIECE UTENSIL SYSTEM FOR COVERING THE ODOUR TRAP RECESS

plastic, Grey, for odour trap recess W x D: 250 x 250 mm For use in sink pull-out units and vanity base units.



SPFLEXX SPACEFLEXX

Flexible organisation system for storage canisters, for use from 600 mm width, Anthracite / chrome, height 130 mm, fits drawer depth upwards of 472 mm

Can be used with front pull-out widths upwards of 600 mm and frame depths of 500 mm.



Clever organisation – new features for accessories 2020



TSA FOLD-OUT STEP LADDER STEPFIX

of aluminium, Black, 2 steps with safety lock, easy folding mechanism, including universal holder for side mounting in base or tall units upwards of 461 mm side depth.



PECK* DOUBLE SOCKET POWER CORNER WITH USB CHARGER

Double socket with contact protection and integrated USB charger for all common smartphones and tablets currently on the market. Available in: 053 Black high gloss 085 Alpine white high gloss



AS9430 BUILT-IN WASTE COLLECTOR "SOLO"

plastic, Slate grey, with full pull-out, capacity: 20 litres, Built-in dimensions: $H \times W \times D = 396 \times 245 \times 427$ mm
To be fitted on site onto the bottom shelf. Can be built-in upwards of 300 mm door width.



PQUAD TRIPLE SOCKET POWER QUAD WITH USB CHARGER

Triple socket made of aluminium with contact protection and integrated USB charger for all common smartphones and tablets currently on the market. Available in:

053 Black high gloss

085 Alpine white high gloss



ATK*-72 / -87 / -89 TABLE SLED FRAME, STEEL

as worktop end of run for island designs with max. 1400 mm worktop overhang.
Heights: 720 mm, 870 mm, 892 mm
Available in:
014 Stainless steel appearance, 010 Black



SIBOX SAFETY BOX GLASGOW

Aluminium housing in black, includes end caps, splash-proof protection rating IP 44, dimensions (H x W x D): 19 mm x 453 mm x 103 mm
For LED converter to use in the bathroom, with the pole-mounted shelving system or with the Smartcube or Infinity shelving systems. Max. 1 converter per box.



COMSPIN COMFORTSPIN

Turntable, rotates 360° for refrigerators, pantry units or wall unit bottom shelves upwards of 500 mm width, transparent matt plastic, Load capacity: 8 kg, off-centre load capacity up to 3 kg.



LNDERB* LED RECESS LIGHT DERBY II

Aluminium profile with integrated LED light strip. For mounting beneath worktops in conjunction with glass uprights or open shelf base unit Smartcube and beneath mirrored bathroom cabinets.

Available in:

014 Stainless steel appearance, 010 Black



Handleless bathroom designs with LINE N



More versatility for nobilia bathroom designs


The bathroom furniture range, which was successfully introduced in the market, has been significantly further developed for the 2020 collection. In fact, a handleless LINE N product range has been added especially for the bathroom. Also, occasional furniture in the form of sideboards and Midi units as well as mirrored bathroom cabinets and furniture hand basins made of mineral composite finish off the spectrum of possibilities.

A multifaceted accessories range complements our bathroom designs with beautiful and useful details.



LINE N base units for bathroom designs


HEIGHT: 360 MM



NBWBA-36 BATHROOM VANITY UNIT

1 internal panel, 1 pull-out with wooden back panel widths: 300, 400, 450, 500, 600, 800, 900, 1000, 1200 mm Side depth: 461 mm


Suitable for recessed and surface-mounted hand basins.



NBWA-36 BATHROOM VANITY UNIT

1 pull-out with wooden back panel widths: 300, 400, 450, 500, 600, 800, 900, 1000, 1200 mm side depth: 461 mm

Only suitable for surface-mounted hand basins.



NBUA-36 BATHROOM PULL-OUT UNIT

1 pull-out widths: 300, 400, 450, 500, 600, 800, 900, 1000, 1200 mm Side depth: 461 mm




HEIGHT: 554 MM



NBWBA-55 BATHROOM VANITY UNIT

1 fixed panel, 1 pull-out with wooden back panel widths: 300, 400, 450, 500, 600, 800, 900, 1000, 1200 mm side depth: 461 mm


Suitable for recessed and surface-mounted hand basins.



NBWSA-55 BATHROOM VANITY UNIT

1 drawer with wooden back panel, 1 pull-out with wooden back panel widths: 300, 400, 450, 500, 600, 800, 900, 1000, 1200 mm side depth: 461 mm

Only suitable for surface-mounted hand basins.



NBUSA-55 BATHROOM PULL-OUT UNIT

1 drawer, 1 pull-out widths: 300, 400, 450, 500, 600, 800, 900, 1000, 1200 mm side depth: 461 mm






NBS*-72 BATHROOM SIDEBOARD

1 door, 2 shelves


widths: 300, 500 mm height: 720 mm side depth: 320 mm



NBS2SA*-72 BATHROOM SIDEBOARD

2 drawers, 1 pull-out

widths: 300, 500 mm height: 720 mm side depth: 320 mm



NBMSA*-125 BATHROOM MIDI UNIT


1 door,

1 drawer, 1 pull-out,

2 shelves

widths: 300, 500 mm height 1247 mm side depth: 320 mm





BSA*-86 BATHROOM SIDEBOARD

1 pull-out, 1 door, 1 shelf

widths: 300, 500 mm height: 864 mm




BMSA*-115 BATHROOM MIDI UNIT

1 door, 1 drawer, 1 pull-out, 2 shelves

<u>717</u> <u>141</u>

285

widths: 300, 500 mm Height 1152 mm




BMSA*-158 BATHROOM MIDI UNIT

1 door, 1 pull-out, 1 door, 3 shelves

widths: 300, 500 mm height 1584 mm





WBSP*-02 MIRRORED BATHROOM CABINET

1 mirrored door in 600 mm width,

2 mirrored doors in 800, 900, 1000 and 1200 mm width,

2 glass shelves,

Wall unit bottom shelf with attached profile strip in

stainless steel appearance,

height: 720 mm, total depth: 210 mm, side depth: 202 mm, utilisable depth: 178 mm available in all carcase colours.

optional with double socket DSDSP*

for mounting in mirrored bathroom cabinet





MP-LWSP SURCHARGE FOR MIRRORED BATHROOM CABINET UPRIGHT PANEL WWBSP*, 16 MM THICK

with LED light design Quattro Mini Available housing colours: 014 Stainless steel appearance, 010 Black

Please also include the splash-proof safety box Glasgow SIBOX in your order.



MP-LADB SURCHARGE FOR TOP SHELF FOR MIRRORED BATHROOM CABINET WBSP*

with LED light design Manila Plus

Please also include the splash-proof safety box Glasgow SIBOX in your order.



LABSP*
LED ATTACHMENT LIGHT
LILIUM BIG EMOTION
aluminium housing in

stainless steel appearance, Plexiglas cover in satin finish



Accessories, mirrored bathroom cabinets and more for bathroom designs



HTHS190 TOWEL RAIL MATCHES BOW HANDLE NO. 190

for mounting on the sides of bathroom furniture in 461 mm side depth, drill spacing: 320 mm

Available colours: 044 Brilliant chrome



WKON STEEL WALL CONSOLE

to reinforce worktops and top shelves with 500 mm depth. For mounting to the wall. The console can also be used as a towel holder.

Available colours: 010 Black, 044 Brilliant chrome



HTHS650 TOWEL RAIL MATCHES RAILING HANDLE NO. 650

for mounting on the sides of bathroom furniture in 461 mm side depth, drill spacing: 320 mm

Available colours: 014 Stainless steel finish



SOKU*-46 / -32 STEEL PLINTH SLED FRAME

15 mm thick, 2 pieces, heights: 156, 300, 444 mm depths: 450, 310 mm The plinth sled frames are not load-bearing and are thus only suitable for wall-mounted furniture.

Available colours: 010 Black, 044 Brilliant chrome



HTHS620 TOWEL RAIL MATCHES RAILING HANDLE NO. 620

for mounting on the sides of bathroom furniture in 461 mm side depth, drill spacing: 320 mm

Available colours: 010 Black



SOFU* STEEL PLINTH FEET

2 pieces, heights: 156, 300, 444 mm The plinth sled frames are not load-bearing and are thus only suitable for wall-mounted furniture.

Available colours: 010 Black, 044 Brilliant chrome



HTHW TOWEL RAIL FOR PLANNING ON 16 MM THICK UPRIGHT PANELS

The towel rail is mounted to the upright panel and screwed in place on the side, dimensions (H x W x D): 3 x 73 x 485 mm

Available colours: 010 Black, 044 Brilliant chrome



ASSB*
BUILT-IN WASTE COLLECTOR
SEPARATO BATHROOM

for 300 and 400 mm unit width.



Hand basins for nobilia bathroom designs



SURFACE-MOUNTED HAND BASIN WB 0002 W 520C MINERAL COMPOSITE

White high gloss

- 1 sink 475 x 310 x 115 mm
- 1 tap hole
- overall dimensions: 519 x 450 mm
- height: 162 mm



SURFACE-MOUNTED HAND BASIN WB 0517 W 600C MINERAL COMPOSITE

White high gloss

- 1 sink 570 x 335 x 100 mm
- 1 tap hole
- overall dimensions: 600 x 470 mm
- height: 144 mm



FURNITURE HAND BASIN MEGX 600C, MINERAL COMPOSITE

White high gloss

- 1 sink 500 x 340 x 120 mm
- 1 tap hole
- overall dimensions: 614 x 492 mm
- height: 142 mm



FURNITURE HAND BASIN MEGX 800C, MINERAL COMPOSITE

White high gloss

- 1 sink 500 x 340 x 120 mm
- 1 tap hole
- overall dimensions: 814 x 492 mm
- height: 142 mm



FURNITURE HAND BASIN MEGX 1000C, MINERAL COMPOSITE

White high gloss

- 1 sink 670 x 345 x 120 mm
- 1 tap hole
- overall dimensions: 1014 x 492 mm
- height: 142 mm



FURNITURE HAND BASIN MEGX 1200C, MINERAL COMPOSITE

White high gloss

- 1 sink 670 x 345 x 120 mm
- 1 tap hole
- overall dimensions: 1214 x 492 mm
- height: 142 mm



FURNITURE HAND BASIN MEGX 1200D, MINERAL COMPOSITE

White high gloss

- 2 sinks 500 x 340 x 120 mm
- 2 tap holes
- overall dimensions: 1214 x 492 mm
- height: 142 mm



LEDWT* LED HAND BASIN LIGHT FOR HAND BASIN MARMITE MEGX*

LED rope light of translucent plastic, LED 12 V DC, 2700 - 6500 K LEDWT160: 1600 mm long / 16 watts

LEDWT180: 1800 mm long / 18 watts LEDWT200: 2000 mm long / 20 watts LEDWT220: 2200 mm long / 22 watts



Hand basin taps



SINGLE LEVER BASIN MIXING TAP ACQUARIO, HIGH-PRESSURE

- with pop-up basin waste
- connection for hot and cold water
- aerator 24 mm diameter
- flexible connection hoses
- tap hole 35 mm diameter
- height of spout above worktop 98 mm
- highest point above worktop 152 mm
- spout 117 mm
- chrome (17717)
- chrome / black matt (17718)



SINGLE LEVER BASIN MIXING TAP ONE, HIGH-PRESSURE

- with pop-up basin waste
- connection for hot and cold water
- aerator 24 mm diameter
- flexible connection hoses
- tap hole 35 mm diameter
- height of spout above worktop 80 mm
- highest point above worktop 138 mm
- spout 100 mm
- chrome (17719)



SINGLE LEVER BASIN MIXING TAP LIVE, HIGH-PRESSURE

- with pop-up basin waste
- connection for hot and cold water
- aerator 18 mm diameter
- flexible connection hoses
- tap hole 35 mm diameter
- height of spout above worktop 225 mm
- highest point above worktop 310 mm
- spout 122 mm
- chrome (17720)




Sales Manual 2020



BATHROOM PRODUCT RANGE

nobilia's range of bathroom furnishings has been extensively expanded. For a clearer overview of the bathroom range, all item groups—furniture, accessories, hand basins and bathroom taps—have been arranged in a coherent chapter sequence. This bathroom product list is a permanent part of the nobilia Sales Manual. It can be found directly following the accessories list in our Sales Manual.



BATHROOM DESIGN SUGGESTIONS

We have added 34 design suggestions for inspiration and to help simplify the bathroom design process. These can be found in the introduction on pages B 0.11 ff. The design suggestions primarily serve as inspiration, however, they can also be ordered as a complete bathroom using the item codes BSET* or NBSET* for LINE N designs.

NEW LABEL

FOR ELECTRIC APPLIANCES AND BUILT-IN SINKS

For an improved overview of new appliances and built-in sinks, we have introduced a new label.

ACCESSORIES FOR DOWNDRAFT EXTRACTOR FANS – IMPROVED ILLUSTRATION

The accessories for downdraft extractor fans are extensive. For an improved overview of this range of items, the entire accessories section has been provided with new images.

MICROWAVES AND FULLY AUTOMATIC COFFEE MACHINES

Microwaves and fully automatic coffee machines from chapter 9 have been sorted into their respective brand name chapters.

BORA AND MIELE APPLIANCES

The selection of appliances from Bora and Miele has been revised. The latest documents outlining the product range will automatically be made available to accredited Bora or Miele retailers through a separate mailing campaign.



Built-in sinks



SCHOCK BUILT-IN SINK MONO D-100, LARGE, CRISTADUR

- for mounting in sink base units upwards of 600 mm width
- magma (87491)
- stone (87495)
- bronze (87492)
- ivory (87493)
- polaris (87494)



FRANKE BUILT-IN SINK MRG 211-77 RD5 FRAGRANIT+

- for mounting in sink base units upwards of 450 mm width
- only flush-mounted installation
- graphite (87546)
- umbra (87549)
- stone grey (87548)
- ivory (87547)



SCHOCK BUILT-IN SINK MONO N-100, SMALL, CRISTADUR

- for mounting in sink base units upwards of 500 mm width
- magma (87486)
- stone (87490)
- bronze (87487)
- ivory (87488)
- polaris (87489)



FRANKE BUILT-IN SINK MRG 210-42 RD5 FRAGRANIT+

- for mounting in sink base units upwards of 450 mm width
- only flush-mounted installation
- graphite (87563)
- umbra (87566)
- stone grey (87565)
- ivory (87564)



Mixing taps



GESSI SINGLE LEVER MIXING TAP PROTON, HIGH-PRESSURE

- connection for hot and cold water
- swivel spout, swivel range 360°
- aerator 24 mm diameter
- flexible connection hoses
- reinforcement panels
- chrome (17721)
- black matt (17722)



HANSGROHE SINGLE LEVER MIXING TAP M429-H180 WITH SPRAY HEAD, HIGH-PRESSURE

- connection for hot and cold water
- spray head with toggle knob
- pull-out swivel spout, swivel range 360°
- flexible connection hoses
- reinforcement panels
- chrome (17795)
- stainless steel appearance (17796)



GESSI SINGLE LEVER MIXING TAP PROTON WITH SPRAY HEAD, HIGH-PRESSURE

- connection for hot and cold water
- pull-out swivel spout, swivel range 360°
- aerator 24 mm diameter
- flexible connection hoses
- reinforcement panels
- chrome (17723)
- black matt (17724)



GESSI SINGLE LEVER MIXING TAP OFFICINE, HIGH-PRESSURE

- connection for hot and cold water
- swivel spout, swivel range 360°
- aerator 24 mm diameter
- flexible connection hoses
- reinforcement panels
- stainless steel appearance (17726)
- black matt (17725)



GESSI SINGLE LEVER MIXING TAP OFFICINE, HIGH-PRESSURE

- connection for hot and cold water
- pull-out swivel spout, swivel range 360°
- aerator 24 mm diameter
- flexible connection hoses
- reinforcement panels
- stainless steel appearance (17727)
- black matt (17728)




HANSGROHE SINGLE LEVER MIXING TAP M5115-H220 WITH SPRAY HEAD, HIGH-PRESSURE

- connection for hot and cold water
- spray head with toggle knob
- pull-out swivel spout, swivel range 110° / 150°
- aerator 24 mm diameter
- flexible connection hoses
- reinforcement panels
- chrome (17797)
- stainless steel appearance (17798)







ALTUS CERAMIC GLASS HOB KAN 1000 X, INDIVIDUAL APPLIANCE

- width: 600 mm
- TouchControl operation
- 4 diode residual heat indicator
- child safety quard



ALTUS CERAMIC GLASS HOB KAN 1200 X, INDIVIDUAL APPLIANCE

- width: 600 mm
- TouchControl operation
- 4 diode residual heat indicator
- child safety guard



ALTUS INTEGRATED DISHWASHER STN 1420 XP

- width: 600 mm
- 4 programmes
- energy efficiency rating: A++
- drying efficiency rating: A



ALTUS FULLY INTEGRATED DISHWASHER SVN 1420

- width: 600 mm
- 4 programmes
- energy efficiency rating: A++
- drying efficiency rating: A



ALTUS INTEGRATED DISHWASHER STS 1410 XP

- width: 450 mm
- 4 programmes
- energy efficiency rating: A+
- drying efficiency rating: A



ALTUS FULLY INTEGRATED DISHWASHER SVS 1510

- width: 450 mm
- 5 programmes
- energy efficiency rating: A+
- drying efficiency rating: A







BEKO BUILT-IN OVEN BIS 1530N0 X, **HYDROLYSIS**

- 7 operating modes
- energy efficiency: A
- cooling fan
- multi-function display with TouchControl



DISHWASHER DIN 16N30

- width: 600 mm
- 6 programmes
- energy efficiency rating: A++



BEKO CERAMIC GLASS HOB HII 64201 FHT, INDUCTION, INDIVIDUAL APPLIANCE

- width: 600 mm
- TouchControl operation
- 4 diode residual heat indicator
- child safety quard



BEKO CERAMIC GLASS HOB HII 84501 HT, INDUCTION, **INDIVIDUAL APPLIANCE**

- width: 800 mm
- TouchSlider operation (mono)
- 4 diode residual heat indicator
- child safety quard



BEKO INTEGRATED DISHWASHER DSN 04N20 X

- width: 600 mm
- 4 programmes
- energy efficiency rating: A++
- drying efficiency rating: A



BEKO FULLY INTEGRATED DISHWASHER DIN 14N20

- width: 600 mm
- 4 programmes
- energy efficiency rating: A++
- drying efficiency rating: A



BEKO INTEGRATED FRIDGE BSSA210K3S

- net capacity: 156 + 19 litres
- aperture height: 1230 mm
- tandem door closing feature
- energy efficiency rating: A++



BEKO INTEGRATED FRIDGE / FREEZER COMBINATION BDSA250K3S

- net capacity: 176 + 44 litres
- aperture height: 1450 mm
- tandem door closing feature
- energy efficiency rating: A++



BEKO FULLY INTEGRATED

- AquaStop
- drying efficiency rating: A



BEKO INTEGRATED FRIDGE B 1752

- net capacity: 97 + 13 litres
- aperture height: 880 mm
- tandem door closing feature energy efficiency rating: A++



BEKO INTEGRATED FRIDGE BLSA160K2S

- net capacity: 156 litres
- aperture height: 1030 mm
- tandem door closing feature
- energy efficiency rating: A+





BEKO INTEGRATED FRIDGE BSSA315K2S

- net capacity: 309 litres
- aperture height: 1780 mm
- tandem door closing feature
- energy efficiency rating: A+



BEKO INTEGRATED FREEZER BFNA247E20S

- net capacity: 220 litre
- aperture height: 1780 mm
- tandem door closing feature
- energy efficiency rating: A+
- no frost technology



BEKO INTEGRATED FRIDGE/ FREEZER COMBINATION BCNA275K3S

- net capacity: 167 + 19 + 69 litres
- aperture height: 1780 mm
- tandem door closing feature
- energy efficiency rating: A++
- no frost technology
- Fresh7one



BEKO INTEGRATED FRIDGE/ FREEZER COMBINATION BCHA306K3S

- net capacity: 201 + 19 + 69 litres
- aperture height: 1940 mm
- tandem door closing feature
- energy efficiency rating: A++
- no frost technology
- Fresh7one



BEKO INTEGRATED BUILT-UNDER FRIDGE BU 1153

- net capacity: 92 + 15 litres
- flat hinge technology
- energy efficiency rating: A++



BEKO FREE-STANDING FRIDGE RSNE445E33XB

- stainless steel appearance ■ net capacity: 344 + 31 litres
- energy efficiency rating: A++
- FreshZone



BEKO FREE-STANDING FREEZER RFNE312E33XB

- stainless steel appearance
- net capacity: 275 litres
- energy efficiency rating: A++
- no frost technology



BEKO FREE-STANDING FRIDGE/ FREEZER COMBINATION RCSA366K30XB

- stainless steel appearance
- net capacity: 223 + 120 litres
- energy efficiency rating: A++



BEKO FREE-STANDING FRIDGE/ FREEZER COMBINATION RCNA366I30XB

- stainless steel appearance
- net capacity: 185 + 30 + 109 litres
- energy efficiency rating: A++
- FreshZone
- no frost technology







AEG INTEGRATED FREEZER ABB 68821 LS

- net capacity: 98 litres
- aperture height: 880 mm
- tandem door closing feature
- energy efficiency rating: A++



AEG INTEGRATED FRIDGE/ FREEZER COMBINATION SDB 51421 AS

- net capacity: 180 + 38 litres
- aperture height: 1450 mm
- tandem door closing feature
- energy efficiency rating: A++



JUNKER CERAMIC GLASS HOB JI 36MT56, INDUCTION, INDIVIDUAL APPLIANCE

- width: 600 mm
- TouchControl operation
- 2 level residual heat indicator
- child safety guard





PROGRESS BUILT-IN OVEN PBP 43102 X AND PBP 43102 B, PYROLYSIS, INDIVIDUAL APPLIANCE

- 12 operating modes
- energy efficiency rating: A+
- large interior
- TouchControl operation
- child safety guard
- black / stainless steel (86206)
- black (86259)





BOSCH SLIMLINE COOKER HOOD DFR 097 T 50

- stainless steel
- width: 900 mm
- energy efficiency: B
- fan efficiency: B
- lighting efficiency: A
- qrease filter efficiency: B



BOSCH CHIMNEY HOOD DWB *6 BC 50

- stainless steel
- widths: 600, 900 mm
- energy efficiency: B
- fan efficiency: A
- lighting efficiency: A
- grease filter efficiency: B



BOSCH CHIMNEY HOOD DWK *7 CM 60

- black
- widths: 600, 800 mm
- energy efficiency: A
- fan efficiency: A
- lighting efficiency: A
- qrease filter efficiency: C
- TouchControl operation



BOSCH CHIMNEY HOOD DWK *7 JO 60

- black
- widths: 600, 900 mm
- energy efficiency: A
- fan efficiency: A
- lighting efficiency: A
- qrease filter efficiency: B
- TouchControl operation



BOSCH ISLAND COOKER HOOD DIB 97 JP 50

- stainless steel
- width: 900 mm
- energy efficiency: A
- fan efficiency: A
- lighting efficiency: A
- qrease filter efficiency: B
- TouchControl operation



BOSCH BUILT-IN OVEN HRG 578 CS 6, PYROLYSIS, INDIVIDUAL APPLIANCE

- 9 operating modes
- energy efficiency: A
- cooling fan
- HomeConnect
- child safety quard



BOSCH CERAMIC GLASS HOB PXY 645 FC 1 E, INDUCTION, INDIVIDUAL APPLIANCE

- width: 600 mm
- TouchControl operation
- 4 diode residual heat indicator
- child safety quard



BOSCH CERAMIC GLASS HOB PXY 875 DW 4 E, INDUCTION, FACET DESIGN, INDIVIDUAL APPLIANCE

- width: 800 mm
- TouchControl operation
- 4 diode residual heat indicator
- child safety quard
- HomeConnect





BOSCH INTEGRATED FRIDGE KIR 20 V 60

- net capacity: 181 litres
- aperture height: 1030 mm
- If at hinge technology
- energy efficiency rating: A++



BOSCH FREE-STANDING FREEZER GSN 36 VL 3P

- stainless steel appearance
- net capacity: 242 litres
- energy efficiency rating: A++



BOSCH INTEGRATED FRIDGE KIL 20 V 60

- net capacity: 141 + 17 litres
- aperture height: 1030 mm
- flat hinge technology
- energy efficiency rating: A++



BOSCH FREE-STANDING FRIDGE/ FREEZER COMBINATION KGV 36 VL 32

- stainless steel appearance
- net capacity: 214 + 94 litres
- energy efficiency rating: A++



BOSCH FREE-STANDING FRIDGE KSV 36 VL 3P

- stainless steel appearance
- net capacity: 346 litres
- energy efficiency rating: A++



BOSCH FREE-STANDING FRIDGE/ FREEZER COMBINATION KGN 36 NL 30

- stainless steel appearance
- net capacity: 215 + 87 litres
- energy efficiency rating: A++







AIRFORCE CERAMIC GLASS HOB CENTRALE ONBOARD, INDUCTION, DOWNDRAFT EXTRACTION

- frameless / black
- width: 830 mm
- 4 diode residual heat indicator
- flush-mounted and standard installation possible
- TouchControl operation
- child safety guard
- energy efficiency: A+
- fan efficiency: A
- grease filter efficiency: B



AIRFORCE WALL-MOUNTED COOKER HOOD GINGER S4

- black glass
- width: 900 mm
- energy efficiency: C
- fan efficiency: C
- lighting efficiency: A
- grease filter efficiency: B



AIRFORCE ISLAND COOKER HOOD F 181 BK XXL

- black lacquered
- width: 1000 mm
- energy efficiency: B
- fan efficiency: A
- lighting efficiency: A
- qrease filter efficiency: C
- Hob2Hood function



AIRFORCE ISLAND COOKER HOOD BALLERINA*

- white / black
- width: 500 mm
- energy efficiency: B
- fan efficiency: B
- lighting efficiency: A
- grease filter efficiency: B
- TouchControl operation
- Hob2Hood function



AIRFORCE ISLAND COOKER HOOD F181 *

- stainless steel / black lacquered
- width: 450 mm
- energy efficiency: B
- fan efficiency: B
- lighting efficiency: A
- qrease filter efficiency: C
- Hob2Hood function



ELICA WALL-MOUNTED COOKER HOOD MISSY BL *0-D

- black
- widths: 600, 900 mm
- energy efficiency: D
- fan efficiency: E
- lighting efficiency: C
- grease filter efficiency: D



ELICA WALL-MOUNTED COOKER HOOD LOL BL/A/*0

- black satin matt
- widths: 600, 900 mm
- energy efficiency: B
- fan efficiency: B
- lighting efficiency: A
- grease filter efficiency: C



DISCONTINUED 31.12.2019

FRONTS | SURROUNDS | ELEMENTS | ACCESSORIES





SPEED 281
Ceramic grey reproduction



LASER 413 Mineral grey



RIO 698Oak Provence reproduction



RIVA 888Dakota oak reproduction



STRUCTURA 400 Gladstone oak reproduction



FOCUS 465 Lacquer, mineral grey ultra high gloss



COTTAGE 929 Virginia oak reproduction



FLAIR 424 Lacquer, honed ivory



LUCCA 618 Ivory matt




LUX 838 Lacquer, sand high gloss



Surrounding design elements – discontinuation date 31.12.2019

CARCASE

COLOR CONCEPT



CARCASE COLOUR 075Mineral grey



COLOR CONCEPT 268
Havellend oak reproduction

HANDLES



HANDLE 124
Metal handle
Stainless steel finish / Brilliant
chrome



HANDLE 185 Metal handle Stainless steel finish



HANDLE 201Metal handle / Plastic handle
Burnished / Ivory



HANDLE 205Metal handle
Stainless steel finish



HANDLE 614 Aluminium handle Used look



HANDLE 713 Metal handle Stainless steel finish



HANDLE 714Bow handle
Stainless steel finish



Surrounding design elements – discontinuation date 31.12.2019

WORKTOP DÉCORS



WORKTOP DÉCOR 268Havellend oak reproduction



WORKTOP DÉCOR 325Gladstone oak reproduction



WORKTOP DÉCOR 358Driftwood reproduction



WORKTOP DÉCOR 359Pettersson reproduction



WORKTOP DÉCOR 371Solid granite reproduction



WORKTOP DÉCOR 375Ceramic grey reproduction



WORKTOP DÉCOR 380Dakota oak reproduction



Surrounding design elements – discontinuation date 31.12.2019

UPRIGHT PANEL COLOURS



UPRIGHT PANEL COLOUR 075Mineral grey



UPRIGHT PANEL COLOUR 268 Havellend oak reproduction



UPRIGHT PANEL COLOUR 325Gladstone oak reproduction



UPRIGHT PANEL COLOUR 358Driftwood reproduction



UPRIGHT PANEL COLOUR 359Pettersson reproduction




UPRIGHT PANEL COLOUR 371Solid granite reproduction




UPRIGHT PANEL COLOUR 375Ceramic grey reproduction



UPRIGHT PANEL COLOUR 380Dakota oak reproduction



UPRIGHT PANEL COLOUR 465Lacquer, mineral grey
ultra high gloss



UPRIGHT PANEL COLOUR 838 Lacquer, sand high gloss



UPRIGHT PANEL COLOUR 865Mineral grey, high gloss



DISCONTINUED BASE UNITS

- Base unit with large-capacity pull-out
- Base unit with door shelf U(D)TR
- Open shelf end unit URSA / URSR
- Panorama dresser units
- Surcharge for décor change MP-DWR
- Surcharge for floating appearance base unit appearance
- Surcharge for LED light design MP-LWH
- Upright shelf (25963, 25966, 25969, 25970, 4120)
- Sink unit with Cargo plinth

DISCONTINUED TALL UNITS

- XL Highboards in 1485 mm height (switch to 1584 mm)
- Highboards and tall units with door shelf HTR
- LINE N tall units with horizontal recessed handle in 2813 mm height (height 03)

DISCONTINUED WALL UNITS

- Wall units in 325.5 mm height
- Wall units with glass doors Frame in all heights
- Wall units with folding / lifting doors in 651 mm height
- Wall units with segmented glass doors in 651 mm height
- Wall units Boulevard in 651 mm height
- Dresser units in 654 mm height

DISCONTINUED MISCELLANEOUS UNITS

- Switch from Backlight to version without lighting
- Canopy hood with double cornice KL for protruded configurations (666, 668, 676, 678)
- Corner cornice shelf (16606, 16619, 16612, 16608, 16613, 16621, 16614, 16622, 16627, 25606, 25619, 25612, 25608, 25613, 25621, 25627)
- Cornice and light pelmet KLMN / LBMN

DISCONTINUED ACCESSORIES

- Plinth feet SSF*, SSFE*, SF-KSW*, SF-KS*
- Stepladder (switch to a new version under old item code and new unit number)
- Plinth returns (9666, 7031, 9669, 4374), Plinth panels (9253, 9272, 9278, 9280, 9281, 4865)
- Upright panel shoe: Switch to neutral coloured items in Stainless steel appearance 014 and Black 010 under old item code and new unit number
- Switch tall unit accessories for HWR: Switch to new COE rating under old item code and new unit number
- Lifting column FlexMotion
- Built-in waste collector "Solo" (switch to new colour version under old item code and new unit number)
- LED starter set with Emotion radio remote control (switch to new design with 6 input distributor, CE and CCC certified)

DISCONTINUED SINKS AND MIXING TAPS

- Blanco: A-style 400 / 500 (87553, 87556)
- Blanco: LEGRA 45 S champagne (87544)
- Blanco: ZIA 9E champagne (87453)
- Blanco: TIPO 5S (87285)
- Schock: Classic R 100 (87082, 87352, 87084)
- Schock: Horizont D 100 (87371, 87374, 87373, 87372)
- Rieber: Built-in sink E 43 (87108)
- Rieber: Built-in sink E 47 (87241)
- Kludi: Single lever basin mixing tap BOZZ (17709, 17711, 17716)

DISCONTINUED COOKER HOODS

- AIRFORCE: Wall-mounted cooker hood F195 ELX *(88471, 88472)
- AIRFORCE: Ceiling-mounted cooker hood F139-120 Balance (88440)
- ELICA: Wall-mounted cooker hood TIFFANY**(88263, 88271, 88265, 88274, 88268, 88277)



Neuheiten - EN

1427



nobilia-Werke J. Stickling GmbH & Co. KG

Waldstraße 53-57 33415 Verl

Phone: + 49 52 46 / 508-0 Fax: + 49 52 46 / 508-96 999

info@nobilia.de www.nobilia.de

